

## **CLAIMS**

What is claimed is:

- 1        1.     A universal attachment structure, comprising:  
2                a base section;  
3                one or more wheels coupled to the base section;  
4                one or more telescoping arms extending upward from the base  
5     section;  
6                at least one adjustable loop coupled to the telescoping arms; and  
7                a handle coupled to the at least one adjustable loop.
- 1        2.     The universal attachment structure of claim 1, wherein the base  
2     section further comprises a securing mechanism for securing an item to the  
3     base section.
- 1        3.     The universal attachment structure of claim 2, wherein the securing  
2     mechanism includes at least one ratchet.
- 1        4.     The universal attachment structure of claim 2, wherein the securing  
2     mechanism is an adjustable strap.
- 1        5.     The universal attachment structure of claim 4, wherein the adjustable  
2     strap includes at least one ratchet.
- 1        6.     The universal attachment structure of claim 1, wherein the base  
2     section further comprises a kickplate.
- 1        7.     The universal attachment structure of claim 1, wherein the one or  
2     more wheels coupled to the base section are inline skate wheels.

1     8.     The universal attachment structure of claim 1, wherein the at least  
2     one adjustable loop is coupled to the telescoping arms via attachment  
3     fixtures.

1     9.     The universal attachment structure of claim 8, wherein the at least  
2     one adjustable loop comprises a first end and a second end.

1     10.    The universal attachment structure of claim 8, wherein the base  
2     section and the attachment fixtures further comprise hinges.

1     11.    The universal attachment structure of claim 8, wherein the first end  
2     of the at least one adjustable loop is permanently coupled to the attachment  
3     fixtures.

1     12.    The universal attachment structure of claim 8, wherein the second  
2     end of the at least one adjustable loop is detachably coupled to the  
3     attachment fixtures.

1     13.    The universal attachment structure of claim 1, wherein the handle is  
2     extendable.

1     14.    The universal attachment structure of claim 1, wherein the handle  
2     further comprises hinges.

1     15.    The universal attachment structure of claim 1, wherein the handle  
2     further comprises a shock absorbent section.

1     16.    The universal attachment structure of claim 1, further comprising  
2     telescoping supports coupled to the telescoping arms.

1     17.    The universal attachment structure of claim 16, wherein the handle is  
2     coupled to the telescoping supports.

1 18. The universal attachment structure of claim 1, further comprising a  
2 flange section coupled to the base section for providing additional support.

1 19. A collapsible universal attachment structure, comprising:  
2 a hinged base;  
3 one or more wheels coupled to the base;  
4 an adjustable strap coupled to the base;  
5 telescoping arms having a top section and a bottom section extending  
6 upwardly from the base;  
7 at least two hinged attachment fixtures for receiving the top section of  
8 the telescoping arms; and  
9 an extendable handle coupled to the attachment fixtures.

1 20. The universal attachment structure of claim 19, wherein the  
2 extendable handle is coupled to a vertical end of the at least two hinged  
3 attachment fixtures.

1 21. The universal attachment structure of claim 19, wherein the  
2 extendable handle is coupled to a horizontal end of the at least two hinged  
3 attachment fixtures.

1 22. The universal attachment structure of claim 19, wherein the  
2 adjustable strap is capable of sliding vertically along the telescoping arms.

1 23. The universal attachment structure of claim 19, further comprising  
2 an adjustable loop coupled to the at least two hinged attachment fixtures.

1 24. The universal attachment structure of claim 19, further comprising  
2 an adjustable loop coupled to the top section of the telescoping arms.

1 25. The universal attachment structure of claim 24, wherein the  
2 adjustable loop is capable of sliding along a length of the telescoping arms.

1        26.    The universal attachment structure of claim 19, further comprising a  
2        hinged platform coupled to the base section for providing additional  
3        support.

1        27.    The universal attachment structure of claim 26, wherein the platform  
2        is a flange.

1        28.    The universal attachment structure of claim 19, wherein the bottom  
2        section of the telescoping arms is configured to receive the top section of the  
3        telescoping arms.